ANNUAL PUBLIC MEETING 2011



UNION COUNTY RESOURCE RECOVERY FACILITY

2011 HIGHLIGHTSOPERATIONS

- GREATER THAN 92% BOILER AVAILABILITY
- 546,126 TONS OF WASTE PROCESSED
- SUCCESSFULLY COMPLETED ANNUAL EMISSIONS TESTING IN MARCH 2011
- SUCCESSFULLY COMPLETED A TOTAL PLANT SHUTDOWN & TURBINE OVERHAUL OUTAGE




Energy from Waste EfW

322,707 MWh of Energy


Derived from 546,126
Tons of Waste

(Data from December 2010 through November 2011)


MSW PROCESSED



GROSS ELECTRIC 2011



ASH RESIDUE 2011






Environmental Compliance Monitoring

Emissions From The Facility

 Reported by Annual Performance Testing ("Stack Test")

STACK EMISSIONS TEST RESULTS 2011



COVANTA UNION Community Relations


Supported

- Fishing for Energy Program
- Rahway Arts Guild
- Rahway Fire Department
- Rahway Local Organizing Committee
- Robert Wood Johnson Hospital
- Roosevelt Elementary School
- Thanksgiving Food Drive
- Union County Performing Arts Center
- Union County Hazardous Household Waste Collections
- And Others

Fishing For Energy Program Belford, NJ



Fishing For Energy Program Belford, NJ



Covanta Donates Equipment to Rahway Fire Department



Facility Tour for Roosevelt Elementary School

